

CIREX Si 73

External Mould Releaser

SHAKE THOROUGHLY BEFORE USE

Description

Cirex Si 73 is an external mould releaser, specially formulated for the unchuck of tubes on all types of moulds. Ideal for a hot or cold application
It allows the release of the polyester, epoxy, phenolic, acrylic and melamine and also get rid of the dirt of the chucks

Advantages

Cirex Si 73 is a liquid release agent that you apply in 1 coat at each moulding session, which evaporates at room temperature
It forms a film with give excellent glide of the tube on the chuck, even in the worst cases while getting rid of the dirt
Its silicon and wax free which allows varnishing or gluing on released moulds

Physical properties

-	Nature	polymer dispersion
-	Aspect	milky white liquid
-	Density at 20°C	1,0
-	Flashpoint	NA
-	Max temperature	190°C
-	Life span	1 year, in closed container

Application

1. Clean the chuck with the cleaner CIREX Si 19
2. Apply with a cloth, a spray gun or a brush 2 to 3 coats of the external mould releaser **Cirex Si 73** on the first moulding, then only 1 coat per moulding
3. Leave to dry 1 hour at 20°C (10mn at 100°C) and proceed with moulding

Packaging

1 liter / 1 kg	5 liters / 5 kg
----------------	-----------------

LEGAL NOTES: SICOMIN reserves the right to change the properties of its products. All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data and tolerance may vary due to circumstances beyond our control. No warranties of any kind are made except that the materials supplied are of standard quality. All risk and liabilities arising from handling, storage and use of products, as well as compliance with applicable legal restrictions, rests with the user.

MENTIONS LÉGALES : SICOMIN se réserve le droit de modifier les propriétés du produit. Toutes les caractéristiques spécifiées dans cette Fiche technique sont basées sur des tests de laboratoire. Les mesures et leurs tolérances effectives peuvent varier pour différentes raisons. SICOMIN se réserve le droit Aucune garantie de quelque nature que ce soit, sauf que les matériaux fournis sont de qualité standard. Tous les risques et responsabilités découlant de la manutention, le stockage et l'utilisation des produits, ainsi que le respect des restrictions légales applicables, incombe à l'utilisateur.